


Mortality rates over time continued

Stabilised & adjusted mortality by year of birth (all deaths)

Stabilised & adjusted mortality rates for each type of death compared to the average mortality rate for Trusts and Health Boards in the same comparator group (shown in grey) by year of birth.

Due to updates to the data and improvements to the statistical methodology used, these results might differ slightly from those in previous reports.



Stabilised & adjusted mortality by year of birth (excluding deaths due to congenital anomalies)

Stabilised & adjusted mortality rates for each type of death, excluding deaths due to congenital anomalies, compared to the average

3. Your perinatal deaths

Deaths of babies born within your Trust

The crude mortality rates reported here are for babies born within your Trust, excluding births before 24 weeks gestational age and all terminations of pregnancy, together with the equivalent UK-wide rates.

These rates are subject to random variation, especially when the number of deaths is small. Stabilised & adjusted mortality rates are presented on page 2 which provide more reliable estimates of the underlying (long-term) mortality rates for your Trust.

Your perinatal deaths continued

Place of neonatal death by gestational age

In the table below, information is shown that differentiates between the neonatal deaths of live born babies who were born and subsequently died within your Trust and those who were born within your Trust but died elsewhere. The percentage and number of babies in each group is shown by gestational age at birth.

Place of Death	Gestational group				
	24 ⁺⁰ ±27 ⁺⁶	28 ⁺⁰ ±31 ⁺⁶	32 ⁺⁰ ±36 ⁺⁶	37 ⁺⁰ ±41 ⁺⁶	• +0

